

# ASK YOUR DOCTOR ABOUT XYOSTED® (testosterone enanthate) injection



XYOSTED is for adult men who have low or no testosterone due to certain medical conditions.

## Why XYOSTED may be right for you.

» Self administered auto-injector at home or on the go\*

» Fast and virtually painless injections†  
99.4% of injections reported to be pain free

» Once-weekly injection

Available In 3 Dose Strengths

50 mg | 75 mg | 100 mg

RECOMMENDED STARTING DOSE

\*Do not refrigerate or freeze. Use at room temperature. Store at controlled room temperature, 68F to 77F (20C to 25C). Protect from light (keep in carton until time of use). Keep XYOSTED and all medicines out of the reach of children.

†Injection site reactions can occur, including: bruising, bleeding, redness, and hardness.

## IMPORTANT SAFETY INFORMATION

### INDICATION/WHAT IS XYOSTED?

XYOSTED is a prescription medicine that contains testosterone. XYOSTED is used to treat adult men who have low or no testosterone due to certain medical conditions.

It is not known if XYOSTED is safe and effective for use in children younger than 18 years old. Improper use of XYOSTED may affect bone growth in children.

It is not known if XYOSTED is safe or effective to treat men who have low testosterone due to aging.

XYOSTED is a controlled substance (CIII) because it contains testosterone that can be a target for people who abuse prescription medicines. Keep your XYOSTED in a safe place to protect it. Never give your XYOSTED to anyone else. Selling or giving away this medicine may harm others and it is against the law.

XYOSTED is not meant for use by women.

### IMPORTANT SAFETY INFORMATION

#### Do not use XYOSTED if you:

- Are a man who has breast cancer.
- Have or might have prostate cancer.
- Are a woman who is pregnant. XYOSTED may harm your unborn baby.
- Are allergic to XYOSTED or to any ingredients in XYOSTED including testosterone or sesame oil.

#### What should I tell my healthcare provider before using XYOSTED?

**Before all of your XYOSTED, tell your healthcare provider about all of your medical conditions, including, if you have any of the following:** high blood pressure or are being treated for high blood pressure, or have heart problems, high red blood cell count, urinary problems due to an enlarged prostate, kidney or liver problems, a history of mental health illness including suicidal thoughts or actions, depression, anxiety or mood disorder, or problems breathing

Please see Important Safety Information continued throughout and enclosed full Prescribing Information, and Medication Guide.

## XYOSTED & IM Injections dosing & administration

MODE OF ADMINISTRATION	Subcutaneous injection (under the skin) Needle not visible	INTRAMUSCULAR INJECTIONS Intramuscular needle (in the muscle) Needle visible
SETTING OF ADMINISTRATION	Home	Home or doctor's office
DOSING FREQUENCY	Weekly	Weekly, biweekly, or monthly
DEVICE PREPARATION	Ready-to-use application	Needle and vial syringe preparation
INJECTION PAIN	Virtually painless injection <sup>†‡</sup>	Some degree of injection pain that varies by patient

The effectiveness and safety of each option have not been compared in medical studies. For more info, talk to your Dr. and review the prescribing info for each product.

\* 150 hypogonadal male patients entered the study.

† Injection site reactions can occur, including bruising, bleeding, redness and hardness.

‡ 99.4% of injections were reported to be pain free.

## IMPORTANT SAFETY INFORMATION (CONTINUED)

while you sleep (sleep apnea).

Tell your healthcare provider about all the medicines you take, including prescription and nonprescription medicines, vitamins, and herbal supplements.

Using XYOSTED with other medicines can affect each other. Especially, tell your healthcare provider if you take insulin, medicines that decrease blood clotting (blood thinners), corticosteroids or medicines for pain and cold. Know the medicines you take. Ask your pharmacist for a list of all your medicines if you are not sure. Show your list to your healthcare provider and pharmacist when you get a new medicine.

#### How should I use XYOSTED?

- See the detailed **Instructions for Use** for information about how to use XYOSTED.
- Use XYOSTED exactly as your healthcare provider tells you to take it.
- Your healthcare provider will show you or your caregiver how to inject

XYOSTED. You should not inject XYOSTED until you have been trained on the proper way to use it.

#### What are the possible side effects of XYOSTED?

##### XYOSTED can cause serious side effects including:

- **Increase in red blood cell count, hematocrit or hemoglobin.** High red blood cell counts increase the risk of clots, strokes, and heart attacks. You may need to stop XYOSTED if your red blood cell count increases. Your healthcare provider should check your red blood cell count, hematocrit and hemoglobin while you use XYOSTED.
- **If you already have an enlarged prostate, your signs and symptoms may get worse while using XYOSTED. This can include:** increased nighttime urination, trouble starting urination, more frequent urination, feeling an urge to urinate, having a urine accident, and being unable to pass urine or weak urine flow
- **Increased risk of prostate cancer.** Your healthcare provider should check you for prostate cancer or any other prostate problems


Please see Important Safety Information continued throughout and enclosed full Prescribing Information, and Medication Guide.

## TAKING XYOSTED.

### Inject into the abdomen only.

For complete instructions, please see the [Instructions for Use](#).

Read the [Instructions for Use](#) before you start using XYOSTED and each time you get a refill. These instructions do not take the place of talking with your healthcare provider about your medical condition or treatment.



Injection site reactions can occur, including bruising, bleeding, redness and hardness.

[Click here to watch an instructional video.](#)

## IMPORTANT SAFETY INFORMATION (CONTINUED)

before you start and while you use XYOSTED.

- **Blood clots in the legs or lungs.** Signs and symptoms of a blood clot in your leg can include leg pain, swelling or redness. Signs and symptoms of a blood clot in your lungs can include difficulty breathing or chest pain.
- **Increase in blood pressure.** XYOSTED can increase your blood pressure. Increases in blood pressure can increase the risk of heart attack or stroke over time. If your blood pressure increases while on XYOSTED, blood pressure medicines may need to be started. If you are taking blood pressure medicines, new blood pressure medicines may need to be added or your current blood pressure medicines may need to be adjusted to control your blood pressure. If your blood pressure cannot be controlled, XYOSTED may need to be stopped. Your healthcare provider will monitor your blood pressure while you are being treated with XYOSTED.
- **Abuse.** Testosterone can be abused, when taken at higher than prescribed doses and when used with other anabolic androgenic steroids. Abuse can cause serious heart and psychological side effects.
- **In large doses XYOSTED may lower your sperm count.**
- **Liver problems.** Symptoms of liver problems may include nausea or vomiting, yellowing of your skin or whites of your eyes, dark urine or pain on the right side of your stomach area (abdominal pain).
- **Swelling of your ankles, feet, or body, with or without heart failure.** This may cause serious problems for people who have heart, kidney or liver disease.

- **Enlarged or painful breasts.**
- **Problems breathing while you sleep (sleep apnea).**

- **Change in mood.** Talk to your healthcare provider if you have changes in mood or behavior including, new or worsening depression, or suicidal thoughts.

**Call your healthcare provider right away if you have any of the serious side effects listed above.**

**The most common side effects of XYOSTED include:** red blood cell increase, prostatic specific antigen (PSA) increase (a blood test for prostate cancer), increased blood pressure, and injection site reactions including bruising, bleeding, redness and headache.

**Other side effects include** more erections than are normal for you or erections that last a long time. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. These are not all the possible side effects of XYOSTED. For more information, ask your healthcare provider or pharmacist.

For more information, go to [www.XYOSTED.com](#) or call 1-844-XYOSTED (1-844-996-7833).

To report side effects to the FDA, visit [www.fda.gov/medwatch](#), or call 1-800-FDA-1088.

**Please see the full Prescribing Information, and Medication Guide.**

**April 2025 Update.**



PAY AS LITTLE AS  
**\$25 CO-PAY**  
FOR MOST COMMERCIALLY INSURED PATIENTS\*

ACTIVATE  
YOUR CO-PAY CARD NOW

CALL **1-844-XYOSTED**  
(1-844-996-7833)



VISIT [www.XYOSTED.com](#)

## NO COMMERCIAL INSURANCE?

Learn here about  
**XYOSTED 4YOU**  
CASH PROGRAM

## XYOSTED 4YOU CASH PROGRAM

» PURCHASE XYOSTED FOR \$199 PER MONTH

WHEN YOU HAVE A VALID XYOSTED PRESCRIPTION. (shipping fees not included)

\*Eligibility restrictions: Offer not valid for prescriptions reimbursed under any federal or state healthcare program, including Medicare, Medicaid, or any state medical assistance programs. Offer void where prohibited by law, taxed, or restricted. Offer only valid in the USA. Maximum benefit up to \$125 for each prescription filled. Halozyme reserves the right to rescind, revoke, or amend this offer at any time without notice. By using this co-pay card, you demonstrate that you understand and agree to comply with the terms and conditions of this offer as put forth on this co-pay assistance card.

†Eligibility restrictions: Must be 18 years or over with a valid prescription for XYOSTED® (testosterone enanthate). Must be a U.S. resident with a valid U.S. shipping address. Additional shipping charges may apply. Offer not valid for prescriptions reimbursed under any private insurance or any federal or state healthcare program, including, but not limited to, Medicare, Medicaid, Tricare, or any state medical assistance programs. Purchases made under this program cannot be claimed in any Part D True Out of Pocket Cost (TrOOP) Submission. Patients are responsible for reporting use of this program to any private insurer, health plan or third-party payer. The XYOSTED 4 YOU Cash Program is not health insurance. Cannot be combined with other offers or programs. Offer void where prohibited by law, taxed, or restricted. Halozyme reserves the right to rescind, revoke, or amend this offer at any time without notice. By enrolling in this program, you demonstrate that you understand and agree to comply with the terms and conditions set forth herein and any additional Terms and Conditions set by specialty pharmacy regarding purchases made under this program.